

DOORS

EXTERNAL DOORS AND SLIDING DOORS



PANELLED DOORS



 100% Made in Denmark

PANELLED DOORS

Kastrup's inward- and outward opening panelled doors in wood/alu do not interrupt your facade appearance. With dozens of design options and accessories, you can create your very own unique front door. If you are looking for an exclusive door, then our wood/alu AluFrontLine model is the right choice.



Wood/alu standard panelled door

With an aluminium frame and an MDF door panel, Kastrup's standard wood/alu panelled doors resemble the most commonly used panelled door types.

Kastrup doors have a similar design to our KASTRUP ENERGY window series.



Wood/alu AluFrontLine

This exclusive door series has solely aluminium exterior and wood interior. With an exterior aluminium panel, the door is much more resistant and stable.


This innovative door was developed by Kastrup Windows and can be combined with our KASTRUP ENERGY and INVI window series.

PANELLED DOORS



FLUSH

STANDARD | ALUFRONTLINE



ED-LO

STANDARD | ALUFRONTLINE



ED-AM

STANDARD | ALUFRONTLINE



ED-MA

STANDARD | ALUFRONTLINE



ED-CO

STANDARD | ALUFRONTLINE



ED-HE

STANDARD | ALUFRONTLINE



ED-MO

STANDARD | ALUFRONTLINE



ED-SH

STANDARD | ALUFRONTLINE



ED-OS

STANDARD | ALUFRONTLINE

PANELLED DOORS



ED-SD

STANDARD | ALUFRONTLINE



OAK PANEL

STANDARD



ED-DH

STANDARD | ALUFRONTLINE



ED-BA

STANDARD | ALUFRONTLINE



ED-KL

STANDARD | ALUFRONTLINE



ED-TA

STANDARD | ALUFRONTLINE



ED-GE

STANDARD | ALUFRONTLINE



ED-PA

STANDARD | ALUFRONTLINE



ED-SF

STANDARD | ALUFRONTLINE

PANELLED DOORS



PLYWOOD IN MAHOGANY OR OAK

STANDARD



ED-LI

STANDARD | ALUFRONTLINE



ED-MQ

STANDARD | ALUFRONTLINE



ED-SA

STANDARD | ALUFRONTLINE



ED-BU

STANDARD | ALUFRONTLINE



ED-BE

STANDARD | ALUFRONTLINE



ED-CA

STANDARD | ALUFRONTLINE



ED-NE

STANDARD | ALUFRONTLINE



ED-ST

STANDARD | ALUFRONTLINE

PANELLED DOORS



Safety package as standard

All doors from Kastrup comes with a robust 3 lever lock with two 20mm restrictor hooks, a latch and a secure striking plate as standard. A check valve also prevents the latch from being pushed back.



Durable, high quality materials

No dark marks and virtually knot-free pine wood. Extra resistant powder coated aluminium. The return spring in the escutcheon ensures that the espagnolettes last longer.



Codelock or fingerprint scanner

Kastrup offers an integrated door concept with a code display or a fingerprint scanner, as well as cordless control for electronic locking and opening of the door.



Deadlatch which automatically locks

Instead of lifting the handle to lock the door, you can choose a latch where 3 levers automatically lock into the frame when the door is closed. With a bar handle on the outside the door is immediately locked, but with lever handle inside the door is unlocked.



Kick plate

The standard panelled doors have an aluminium kick plate on the outside as standard. You have the option of excluding the kick plate as well as choosing an internal kick plate. The AluFrontLine door, however, comes without a kick plate, as the external panel is made of aluminium.



Handles and cylinder are always included

It's not common in the industry that both handles and cylinder are included in the price, but if you choose a door from Kastrup Windows, you can be sure that both handles and cylinder are always included in the delivery.

Dimensions Wood/alu

| | |
|----------------------|-----------------|
| Standard frame depth | 120mm |
| Possible frame depth | 140, 160, 180mm |
| Outer frame height | 63mm |

Energy performance

| Wood/alu doors with a 76mm door leaf | |
|--------------------------------------|-------------------------|
| Uw | 0,72 W/m ² K |
| Wood/alu doors with a 60mm door leaf | |
| Uw | 0,88 W/m ² K |

Options

| | |
|-----------------------------------|----------|
| Groove cuts | ✓ |
| Peephole | ✓ |
| Door restrictor | ✓ |
| Coloured hinges | ✓ |
| Cylinder inside/outside | Standard |
| Tumb turn inside/cylinder outside | ✓ |
| Stainless steel button | ✓ |
| Bar handle outside | ✓ |
| Door closer | ✓ |



 100% Made in Denmark

FRONT DOORS

Kastrup's inward- and outward opening front doors have the same design as our KASTRUP ENERGY window series. By combining glass and filling, you can create your very own unique front door.



Kastrup front doors are made of aluminium on the outside and wood on the inside. We have a wide selection of designer panels to choose from. It is also possible to choose oak on the inside and outside sash. These versatile finishes make the door very durable and long lasting.

FRONT DOORS



FLUSH

WOOD/ALU



FILLING AND GLASS

WOOD/ALU



SD-RO

WOOD/ALU



SD-KR

WOOD/ALU



SD-GL

WOOD/ALU



SD-VA

WOOD/ALU



SD-BA

WOOD/ALU



SD-DY

WOOD/ALU



SD-RA

WOOD/ALU

FRONT DOORS



SD-TH

WOOD/ALU



SD-LY

WOOD/ALU



SD-VE

WOOD/ALU



SD-DO

WOOD/ALU



SD-HJ

WOOD/ALU



SD-VI

WOOD/ALU



SD-NA

WOOD/ALU



DOORS WITH FILLINGS

WOOD/ALU



DOORS WITH GLAZING BARS

WOOD/ALU

FRONT DOORS



Safety package as standard

A robust 3 lever lock with two 20mm restrictor hooks, a latch and a secure striking plate as standard on all doors. A safety catch also prevents the latch from being pushed back.



Durable, high quality materials

No dark marks and virtually knot-free pine wood. Extra resistant powder coated aluminium. The return spring in the escutcheon ensures that the espagnolettes last longer.



Different groove types on the infill panels

In addition to the different design types, you can choose horizontal or vertical grooves. As standard, all grooves are 12mm wide and 0.7mm deep. You can also choose grooves that are shaped like a "V" and only 5mm wide and 1.2mm deep.



Deadlatch which automatically locks

Instead of lifting the handle to lock the door, you can choose a latch where 3 levers automatically lock into the frame when the door is closed. With a bar handle on the outside the door is immediately locked, but with lever handle inside the door is unlocked.



Match your doors with your windows

All front doors are made in a modern style, as standard. You can also choose the more traditional rounded style CLASSIC for all door types.



Handles and cylinder are always included

It's not common in the industry that both handles and cylinder are included in the price, but if you choose a door from Kastrup Windows, you can be sure that both handles and cylinder are always included in the delivery.

Dimensions

| | |
|-----------------------|-----------------|
| Standard frame depth | 120mm |
| Possible frame depth | 140, 160, 180mm |
| Outer casement height | 129mm/148mm |

Energy performance

| | |
|--|------------|
| Front doors with triple glazing | |
| Uw | 0,87 W/m²K |
| Front doors with double glazing | |
| Uw | 1,37 W/m²K |

Options

| | |
|-----------------------------------|----------|
| Groove cuts | ✓ |
| Peephole | ✓ |
| Door restrictor | ✓ |
| Coloured hinges | ✓ |
| Cylinder inside/outside | Standard |
| Tumb turn inside/cylinder outside | ✓ |
| Door closer | ✓ |



PANELLED DOORS AND FRONT DOORS



25mm aluminium threshold is standard for inward- and outward opening panelled doors and front doors.



A disabled access 15mm low fiberglass threshold can be selected for inward- and outward opening panelled doors and front doors.



An exclusive 43mm threshold in oak can be purchased for all inward- and outward opening panelled doors and front doors.



Standard door handle: Tokyo
Aluminium




Stockholm
Aluminium




Verona
Aluminium and stainless steel



Vitória
Aluminium and stainless steel



E5012 with 45°
Standard length: 100cm



E5110
Standard length: 30cm
Brushed stainless steel



 100% Made in Denmark

SLIDING DOORS

Kastrup's sliding doors in wood/alu combines a sleek design with an easy operation. With many years of experience in both private homes and large projects, we set the standards for sliding doors with innovative solutions.



Wood/alu with aluminium sash

This is our top selling sliding door collection, matching the KASTRUP ENERGY window series. Due to the slim frame, this sliding door collection can also be combined with the INVI window series.



Wood/alu with oak sash

Unique windows require a unique sliding door. You can choose a sliding door with an exclusive oak sash, so that the sliding door matches equivalent KASTRUP ENERGY windows that come with an oak sash.

SLIDING DOORS





SLIDING DOORS



Easy to open and close

You activate the sliding door via a handle. The sash easily glides on durable wheels on a rail along the door. The wheels are made of stainless steel that holds the weight of the sash.




Durable, high quality materials

No dark marks and virtually knot-free pine wood. Extra resistant powder coated aluminium.



Outstanding weathertightness

With our 3 lever locking system and an additional closing point in the middle of wide frames, we comply with Class 4 in air permeability and Class E900 (900Pa) in resistance to water penetration, which is above the industry's guiding requirements.



More light with slim frames

With an 86mm casement profile and a 65mm frame profile, we focus on design and the experience of large glass areas for more light.



Lockable cylinder is possible

As standard, you get an interior handle and cylinder. You can also choose an exterior handle and combine it with a cylinder on the outside. The cylinder is placed 20cm under the handle.



Well-thought-out design

On our sliding doors, the glazing bars are aligned with the frame and gives a light and elegant look.

Dimensions


| | |
|-----------------------|------------|
| Standard frame depth | 140mm |
| Possible frame depth | 160mm |
| Frame/casement height | 114mm |
| Casement height | 74mm |
| Post | 94mm |
| Sealants | 2 |
| Glazing bars | 24mm, 44mm |
| Max width | 5000mm |
| Max height | 2500mm |

Energy performance


| | |
|--|-------------------------|
| Wood/alu sliding door with triple glazing | |
| Uw | 0,86 W/m ² K |
| Wood/alu sliding door with double glazing | |
| Uw | 1,35 W/m ² K |

Options

| | |
|-------------------|----------|
| Trickle vent | ✓ |
| Groove cuts | ✓ |
| Interior handle | Standard |
| Exterior handle | ✓ |
| Internal cylinder | Standard |
| External cylinder | ✓ |



42mm pine wood threshold with aluminium cover and an aluminium sill is standard for all types of sliding doors. The door sill can align with the floor and gives extra stability and a more secure and fast installation.



42mm threshold in oak with an aluminium sill is a possible alternative for all types of sliding doors.



COLOURS

FIJI ALUMINIUM COLOURS

Kastrup uses FIJI colours that are extra resistant to scratches and abrasions, as standard. The FIJI colours have a textured finish and are therefore more resistant to dirt than the typical window surfaces.

RAL 9010 FIJI | Pure white

RAL 7035 FIJI | Light grey

RAL 7031 Fine texture | Blue grey

RAL 7016 FIJI | Anthracite grey

RAL 9005 FIJI | Jet black

RAL 8016 FIJI | Mahogany brown

RAL 6009 Struktura | Fir green

Swedish red
NCS S 4545 - Y80R

MATT ALUMINIUM COLOURS

In addition to our FIJI colours, Kastrup also offers a standard range of RAL colours in matt gloss 30. A relatively matt gloss that makes scratches less pronounced.

RAL 9010 Matt | Pure white

RAL 7035 Matt | Light grey

RAL 7042 Matt | Traffic grey A

RAL 7016 Matt | Anthracite grey

RAL 9005 Matt | Jet Black

RAL colours outside the standard range have additional charges. Contact our Kastrup dealers for more information about extended colour options.

RAL 6005 Matt | Moss green

RAL 6009 Matt | Fir green

RAL 7021 Matt | Black grey

RAL 7022 Matt | Umbra grey


RAL 7031 Matt | Blue grey

RAL 8016 Matt | Mahogany brown

RAL 9001 Matt | Cream

SABLÉ COLOURS

Aluminium colours with a rustic structure and a granite look are becoming increasingly popular. The rough structured surface looks fantastic and gives a more creative and exclusive feel. Kastrup offers textured colours for a small additional charge.



Sablé Noir 900

Sablé Noir 2100

Sablé Noir 2150

Sablé Noir 2200




Sablé Gris 2400



Sablé Gris 2900

TIMBER COLOURS

Kastrup uses slow-growing north Scandinavian pine wood. The timber is pre-treated and can be finished in our standard RAL colours or clear varnish. All timber is scanned for knots, cracks and resin exudations, any imperfections are cut off. The finger-jointed timber is therefore virtually knot-free. All timber is either FSC® or PEFC® certified.



RAL 9010 | Pure white



RAL 9001 | Cream



RAL 7035 | Light grey



RAL 7042 | Traffic grey A



RAL 7016 | Anthracite grey



RAL 7022 | Umbra grey



RAL 9005 | Jet black



RAL 8016 | Mahogany brown



Green Umbra
NCS S 7010 - G30Y | MFA 7536



Swedish red
NCS S 4545 - Y80R | MFA 5766



Clear varnish



HARDWOOD WITH CREDIBILITY

Kastrup works exclusively with European oak from selected quality suppliers. Oak windows and doors are premium windows with a precious finish. Oak is a very resistant, heavy and stable material.



Oak

PATTERNED GLASS

Patterned glass, or frosted glass, are used for windows and doors where you want to limit visibility - for example in bathrooms and front doors. Kastrup offers the most sought-after types of patterned glass. Not only ordinary low-energy glass, but also safety proof and soundproof glass.



Satin



Cotswold



Cathedral White



kastрупwindows.com

We are one of Denmark's fastest growing window and door manufacturers.



Kastrup A/S Holstebro

Mosebyvej 40
7500 Holstebro



Kastrup A/S Skive

Fabriksvej 5
7800 Skive

10 YEARS
WARRANTY



Enhanced
Security
Window



MEMBER OF
IFN