


# Design meets natural aesthetics

The new, flush timber-aluminium  
designer window HF520

Nothing compares to

**Internorm**<sup>®</sup>  
Windows – Doors

**Unique  
modern  
and flush  
design**



Discover the perfect combination of natural timber and flush design in the new HF 520 window from Internorm. Timber, revered for its timeless beauty and eco-friendly attributes, takes center stage in the HF 520. Each window frame exudes warmth and character. At the same time, the hard-wearing aluminium cladding protects against all weathers and ensures long-lasting quality and easy maintenance.

**By choosing the HF 520 timber-aluminium window, you make a statement of refined taste. It's more than a product; it's an investment in comfort, durability, and aesthetics.**

**Slim and flush for maximum light**

This window becomes an integral part of your home, merging effortlessly with its surroundings. Our slim frames redefine the way natural light enters your living space.

In comparison: the stylish, flush sash of the HF 520 compared to a classic window sash.

# HF 520

Timber-Aluminium Designer Window



## FACT|BOX

- Unique modern and flush design with the appearance of fixed glazing
- Particularly slim frame
- Can easily be combined with KF 520
- Concealed hardware

## Aesthetic, Innovation and Sustainability

Internorm



The slim frame allows for an abundance of natural light to fill your home. Not only will this have a positive effect on your general wellbeing, it will also minimise the use of lighting, therefore reducing energy consumption. But that's not all: Our products offer maximum sound insulation, optimal thermal efficiency, and highest security standards - that is our promise.



## A perfect match

Experience the perfect balance between individuality and aesthetics: The new timber-aluminium window HF 520 offers the perfect match to the uPVC-aluminium window KF 520. You therefore have the choice of material on the inside, with the same aluminium cladding on the outside, creating a uniform and harmonious appearance externally.



Upon request, the high-quality and stable solid timber core can be made from PEFC-certified timber, sourced from local, sustainable forests.



### I-tec Glazing

**Thermal insulation**  
U<sub>w</sub> as low as = 0.75 W/(m<sup>2</sup>K)

**Noise reduction**  
up to 44 dB

**Security**  
up to RC 2

**Locking**  
Concealed

**Construction depth**  
90 mm



**Appearance of fixed glazing without visible sash frame**

**HF 520 with the appearance of fixed glazing**

Glass sash system without visible sash frame externally

**HF 410 with classic appearance**

Traditional system with visible sash frame externally



studio



studio

In traditional window systems, the glass unit is enclosed in a sash frame. With the innovative glass sash of the HF 520, the frame is not visible from the outside, giving the appearance of fixed glazing.

The HF 520, with its modern and flush design, aligns perfectly with Internorm's studio design style and meets the highest standards in design and architecture.

**Many options**


A wide range of colours and window handles offers many design options.

Windows now serve as design features, seamlessly integrating with interior aesthetics to form a cohesive and harmonious concept.






The exterior facade, too, elegantly reveals the residents' style. The choice is yours.

**Interior timber options and colours for the HF 520**



**TIMBER opaque**




**SPRUCE varnished**



**OAK**






**LARCH varnished**



**A small selection of our range of handles and exterior colours:**

**Colours for the external aluminium cladding of the HF 520 (all RAL colours available)**



Scan here to find the full range of handles and external colours.

## HEAD OFFICE

### **Internorm Windows UK Ltd**

Unit D · Colindale Business Park  
2–10 Carlisle Road · London, NW9 0HN  
Tel.: +44 (0) 208 205 9991  
Email: [office@internorm.co.uk](mailto:office@internorm.co.uk)

[uk.internorm.com](http://uk.internorm.com)  
[commercial.internorm.com](http://commercial.internorm.com)

